


TECHNICAL DATASHEET

LEDISONE-2-CLEAR C35 4W E14

01-07-2020



VO/LEDISONE-2/CLEAR/C35/4W/SMD/E14/40K/CBOX

NOTES

General Informations

Stock Code	1514470
HSC/GTIP Code	8539.50.00.00.00
EAN-13 (Inbox Barcode)	6970233836490
ITF-14 (Outbox Barcode)	16970233836497

Electrical Characteristics

Current Type	AC
Operation Voltage	220-240 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,033 Amper
Power	4 Watt
Power Factor	>0.5
Luminous Efficiency	133 lumen/Watt
Energy Savings	0,9
Dimmable	No
Electrical Protection Class	Class II

Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Input Voltage	220-240 Volt
Driver Input Current	0,033 Amper

Lighting Characteristics

Luminous Flux	532 lumen
Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	360°
Flicker	No
LED Type	SMD

Mechanical Parameters

Bulb Body Shape	C35
IP Protection Class	IP20
Switch On/Off Cycle	30000
Lifetime	25000 hours
Body Material	Glass & Aluminum
Body Colour	White
Diffuser Material	Glass
Product Height	97 millimeter
Product Width	Ø35 millimeter
Ambient Temperature (Ta)	-20°C<Ta<40°C

Logistic Informations

Inbox Length	39 millimeter
Inbox Width	39 millimeter
Inbox Height	113 millimeter
Outbox Length	430 millimeter
Outbox Width	220 millimeter
Outbox Height	260 millimeter
Outbox Volume	0,0246 m ³
Midbox Quantity	25 pieces
Outbox Quantity	100 pieces
Unit Net Weight	0,01 kilogram
Outbox Net Weight	1 kilogram
Outbox Gross Weight	3,2 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.