

TECHNICAL DATASHEET

PEARL-A45 75W 3xCCT WITH IR CONTROLLER

06-07-2020



NO IMAGE
AVAILABLE

VT/PEARL-A45/MAX.75W/3xCCT/REMOTE/LED.CEI.LAMP

NOTES



General Informations

Stock Code	2024610
HSC/GTIP Code	9405.10.91.50.00
EAN-13 (Inbox Barcode)	6972538041104
ITF-14 (Outbox Barcode)	26972538041108
Introduction	IR Remote Controller with CCT & Dim Function / 1st Step 6400K / 2nd Step 3000K / 3rd Step 4200K / 4th Step Night Lamp of 4200K

Lighting Characteristics

Time for 60% of Lumen	<0.5 seconds
Light Beam Angle	120°
Flicker	No
LED Type	SMD 2835

Electrical Characteristics

Current Type	AC
Operation Voltage	180-265 Volt
Operation Frequency	50/60 Hertz
Electrical Current	0,33 Amper
Power	38/75/38/5 Watt
Power Factor	0,59
Luminous Efficiency	54/56/60/60 lumen/Watt
Energy Savings	0,85
Dimmable	Yes
Electrical Protection Class	Class I

Mechanical Parameters

IP Protection Class	IP20
Switch On/Off Cycle	30000
Lifetime	20000 hours
Body Material	Iron Base & PVC Cover
Body Colour	White
Diffuser Material	PVC
Mounting Accessories	Screw & Expansion Pipe
Product Height	110 millimeter
Product Width	Ø485 millimeter
Ambient Temperature (Ta)	-20°C<Ta<65°C

Electrical Component Specifications

Component Fitting Type	Internal Driver
Driver Properties	Non-Isolated
Driver Input Voltage	180-265 Volt
Driver Input Current	0,33 Amper
Driver Output Voltage	135-150 Volt
Driver Output Current	0,225 Amper
Battery Properties	2x Ni-MH AAA 600mAh Battery for Remote Controller

Logistic Informations

Inbox Length	520 millimeter
Inbox Width	110 millimeter
Inbox Height	520 millimeter
Outbox Length	680 millimeter
Outbox Width	530 millimeter
Outbox Height	540 millimeter
Outbox Volume	0,19462 m ³
Outbox Quantity	6 pieces
Unit Net Weight	1,12 kilogram
Outbox Net Weight	6,72 kilogram
Outbox Gross Weight	10,7 kilogram

IMPORTANT NOTES: VITO reserves the right to change/remove models or specifications partially/completely without any notice. Information, models and photographs of the products in this technical datasheet can not be used, reproduced or republished without permission. However, some parts can be quoted by giving reference and/or chapter number belonging to technical datasheet. Most of the items in the datasheet have been designed by our company within indicated technical specifications inside. Our company is not responsible for errors caused by wrong installation and operating against rules according to qualifications specified in the product details. Photographs printed in this datasheet may not reflect the actual color of the product depending on printing conditions. In the same context, typographical errors may possibly be found in the texts.