

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Vito

**Supplier's address:** vitoEU, STR. IZTOCHNA TANGENTA 102 4TH FLOOR 1528 SOFIA/BULGARIA

**Model identifier:** 2101983

## Type of light source:

|                                                     |        |                                 |     |
|-----------------------------------------------------|--------|---------------------------------|-----|
| Lighting technology used:                           | LED    | Non-directional or directional: | DLS |
| Light source cap-type (or other electric interface) | Socket |                                 |     |
| Mains or non-mains:                                 | NMLS   | Connected light source (CLS):   | No  |
| Colour-tuneable light source:                       | Yes    | Envelope:                       | -   |
| High luminance light source:                        | No     |                                 |     |
| Anti-glare shield:                                  | No     | Dimmable:                       | No  |


## Product parameters

| Parameter                                                                                                                                             | Value                    | Parameter                                                                                                                                                  | Value                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| <b>General product parameters:</b>                                                                                                                    |                          |                                                                                                                                                            |                         |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer                                                                         | 5                        | Energy efficiency class                                                                                                                                    | F                       |
| Useful luminous flux ( $\phi_{\text{use}}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 425 in Narrow cone (90°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000 or 4 000 or 6 000 |
| On-mode power ( $P_{\text{on}}$ ), expressed in W                                                                                                     | 5,0                      | Standby power ( $P_{\text{sb}}$ ), expressed in W and rounded to the second decimal                                                                        | 0,00                    |
| Networked standby power ( $P_{\text{net}}$ ) for CLS, expressed in W and rounded to the second decimal                                                | -                        | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set                                                         | 90                      |
| Outer dimensions without separate control gear, lighting control                                                                                      | Height                   | Spectral power distribution in the range 250 nm to 800 nm, at full-load                                                                                    | See image in last page  |
|                                                                                                                                                       | Width                    |                                                                                                                                                            |                         |
|                                                                                                                                                       | Depth                    |                                                                                                                                                            |                         |

|                                                           |      |                                                                    |                |  |
|-----------------------------------------------------------|------|--------------------------------------------------------------------|----------------|--|
| parts and non-lighting control parts, if any (millimetre) |      |                                                                    |                |  |
| Claim of equivalent power <sup>(a)</sup>                  | -    | If yes, equivalent power (W)                                       | -              |  |
|                                                           |      | Chromaticity coordinates (x and y)                                 | 0,375<br>0,377 |  |
| <b>Parameters for directional light sources:</b>          |      |                                                                    |                |  |
| Peak luminous intensity (cd)                              | 425  | Beam angle in degrees, or the range of beam angles that can be set | 24             |  |
| <b>Parameters for LED and OLED light sources:</b>         |      |                                                                    |                |  |
| R9 colour rendering index value                           | 10   | Survival factor                                                    | 0,90           |  |
| the lumen maintenance factor                              | 0,90 |                                                                    |                |  |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 18/09/2025.



**EPREL registration number:** 2468549

<https://eprel.ec.europa.eu/qr/2468549>

**Supplier:** VITO EUROPE Ltd. (Importer)

**Website:** [www.vitolighting.com](http://www.vitolighting.com)

**Customer care service:**

**Name:** vitoEU

**Website:** [www.vitolighting.com](http://www.vitolighting.com)

**Email:** [u.yildiz@vitoeuropa.com](mailto:u.yildiz@vitoeuropa.com)

**Phone:** +35924341574

**Address:**

STR. IZTOCHNA TANGENTA 102 4TH FLOOR 1528 SOFIA/BULGARIA